

Maxi; An evolution in research and development, enhancing fire fighter safety through science and technology.

MistNozzle



The Maxi nozzle is a leading product in the revolution of fire fighting technology.

The launch of the Maxi fire fighting nozzle introduces a new dimension in fire fighter safety and efficiency. Designed, developed and manufactured in the UK, using tried and tested micron technology, the Maxi nozzle encapsulates science in order to provide ultimate extinguishing and cooling with unrivalled levels of fire fighter safety. Not only does this WaterMist nozzle provide safety, rapid cooling and extinguishing it is also the most water efficient nozzle on the world market today, approximately 65% more efficient than other comparative nozzles.

Designed to be intuitive, the Maxi nozzle has one-click switch-function technology, allowing the transition between Jet Mode and WaterMist Mode to be instantaneous and easy minimising room for error and ensuring safe mode selection.

The plug-and-go functionality of the Maxi fire fighting nozzle works with most existing hose reels and has been specifically designed to be quick and easy to use; simply attach the hose, selecting the correct mode and open the nozzle - so instinctive that little or no training is required.

With water being a valuable resource the world over, the Maxi misting nozzle deliberately uses less water during operation. Studies have shown a significantly increased efficiency in water usage during like-for-like product trials; a product that protects the environment makes fire fighters safer and reduces operations costs. The WaterMist absorbs 2257kj of energy per litre verse conventional technology absorbing 335kj per litre.

Using the powerful combination of science, design and technology the Maxi nozzle competently combats the effects of smoke within the fire environment, providing an impressive and unique solution to combat the effects of smoke scrubbing.









Benefits:

- Developed in collaboration with UK Fire & Rescue Services
- Perfectly created droplet size for superior cooling and safer fire fighting
- Effective smoke scrubbing for improved fire fighting conditions
- · Flexibility to cool / fight from the outside
- Simple to operate with no additional training requirement
- 65%* less water used
- Heavy duty anodised aluminium branch with protective rubber sleeve
- One-Click intuitive Jet/Mist mode rotation switch for simple mode change
- Smooth 2 direction Start/Stop Handle for on/off and pulsation fire fighting functionality
- Conforms to the requirements of NFPA 1964

*See page 5















"A fire fighting nozzle, designed to protect fire fighters, the community and the environment."


Watermist Explained

By applying low pressure fine water droplets, known as "WaterMist" over, around and into the flame, our WaterMist technology suffocates the fire. As the mist converts to steam it reduces the oxygen, simultaneously reducing the temperature at the source of the fire, therefore eliminating the production of flammable gases (free radicals). Having reduced the oxygen and cooled the fire, the flames are extinguished.

The WaterMist technology generates a consistent droplet size of around 50 – 75 microns, which equates to an excess of 1,910,828,025 droplets from 1L of water giving a surface area of 120 sam.

This provides a large surface area for the successful exchange of energy, approximately 2592 kJ/kg, which is responsible for the rapid cooling of the fire.





Technical Information



"Modern fire fighting in the comfort of traditional design. 65%* more efficient water consumption with improved fire fighting."

Item Description Agent Water **Dimensions** L: 240mm H: 265mm W(handle): 215mm W(rubber outer): 90mm Weight 2.75ka Branch / Nozzle Ball valve operated, Mist or iet mode **Material** Body: Aluminium (6082 t6) Nozzle: HE15 (2014 t6) Operating Pressure 4bar to 20bar Inlet Size 3/4"BSP Spray Type Mist/Jet Flow Rate Mist Mode: 451/min at 20bar Jet Mode: 150I/min at 20bar







Branch in Mist mode



Product Overview

- Standard Hose Reel connectors to retrofit with all existing hose reels
- One-Click intuitive Jet/Mist mode rotation switch for simple mode change
- Hard wearing externally mounted Anodised Aluminium Nozzle
- · Traditional, ergonomic, easy grip handle
- WaterMist mode for rapid cooling, smoke scrubbing and water saving
- Jet Mode for initial suppression from a distance
- Anodised aluminium branch with protective rubber sleeve





Maxi pressure and coupling options

Option 1: Lay flat hose

This version is suitable for lay flat hose at a working pressure of 7 Bar with a 2 1/2 inch instantaneous coupling as standard and various coupling options available on request.

2 ½ inch instantaneous coupling



Maxi pressure and coupling options

Option 2: Hose reel

The maxi branch with a ¾′′BSP Customised MacDonald coupling.



- ¾ inch BSP Macdonald coupling

This is suitable for hose reel application (3/4inch hose) and has a working pressure ranging between 4bar to 20bar.



Statistics

Fire and rescue authorities attended 170,000 fire incidents and 223,000 false alarms in England in 2013-14 275 Fire fatalities in England 2013-14

Fire Statistics Monitor: England April 2013 to March 2014 by Department for Communities and Local Government

Smaller vehicles are ideal first response solution for these false alarms/call outs due to cost saving element and suitable equipment.







"Fire and Rescue Services are focusing on refining and developing their services and tools to be efficient at all levels."

Dermot Hogan Head of Emergency Response Staffordshire Fire and Rescue Service



MistNozzle

Manufactured by

FB Fire Technologies Ltd

Matrix@Dinnington Business Centre

Nobel Way

Dinnington

Sheffield

S25 3QB

United Kingdom

www.firebuggroup.com

t: 0845 388 4114 f: 0845 388 4115

e: sales@firebuggroup.com

t int: +44 170 970 1318 f int: +44 845 388 4115











